## **TITLE 327 WATER POLLUTION CONTROL BOARD**

## **Change in Notice of Public Hearing**

LSA Document #06-501

The Water Pollution Control Board gives notice that the date of the public hearing for LSA Document #06-501, posted at 20061108-IR-327060501FDA, has been changed. The changed Notice of Public Hearing appears below:

## Notice of Public Hearing

Under <u>IC 4-22-2-24</u>, <u>IC 13-14-8-6</u>, and <u>IC 13-14-9</u>, notice is hereby given that on **March 14, 2007**, at 1:30 p.m., at the Indiana Government Center-South, 402 West Washington Street, Conference Center Room A, Indianapolis, Indiana, the Water Pollution Control Board will hold a public hearing on proposed amendments to <u>327 IAC 5-4-3</u>, <u>327 IAC 15-15-11</u>, and <u>327 IAC 11-11-12</u> concerning the extension of compliance dates for concentrated animal feeding operations.

The purpose of this hearing is to receive comments from the public prior to preliminary adoption of these rules by the board. All interested persons are invited and will be given reasonable opportunity to express their views concerning the proposed amendments and new rules. Oral statements will be heard, but, for the accuracy of the record, all comments should be submitted in writing.

Additional information regarding this action may be obtained from Lynn West, Rules, Outreach and Planning Section, Office of Land Quality, (317) 232-3593 or (800) 451-6027 (in Indiana).

Individuals requiring reasonable accommodations for participation in this event should contact the Indiana Department of Environmental Management, Americans with Disabilities Act coordinator at:

Attn: ADA Coordinator

Indiana Department of Environmental Management

100 North Senate Avenue

Indianapolis, Indiana 46204-2251

or call (317) 232-3077 (V) or (317) 232-6565 (TDD). Speech and hearing impaired callers may contact IDEM via the Indiana Relay Service at 711 or 1-800-743-3333. Please provide a minimum of 72 hours' notification.

Copies of these rules are now on file at the Office of Water Quality, Indiana Department of Environmental Management, 100 North Senate Avenue, Twelfth Floor and Legislative Services Agency, One North Capitol, Suite 325, Indianapolis, Indiana, and are open for public inspection.

Bruce Palin Assistant Commissioner Office of Water Quality

Posted: 02/28/2007 by Legislative Services Agency An <a href="https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://https://